

## Participation in Occupational Assessment, Screening and Vaccination (OASV)

This form is for Health Care Workers (HCW) who are applying for a position within Canberra Health Services (CHS), or students on clinical placement, where they are required to complete the assessment, screening, and vaccination process as part of their Category A position. Please read the Occupational Assessment, Screening and Vaccination Procedure available at [Occupational Assessment, Screening and Vaccination Policy](#) to understand your mandatory requirements.

Please complete the form in full and follow the steps on page two to complete your compliance requirements. Return the form and attached evidence to your recruitment officer.

#### Step 4:

Provide evidence of protection against the following diseases (only one [1] form of evidence is required, except for Hepatitis B):

- Measles, Mumps, Rubella:
  - Evidence of being born in or prior to 1966  
OR
  - Two (2) doses of the measles mumps and rubella vaccine  
OR
  - Blood test result with detected IgG antibody for measles, mumps and rubella.
  
- Varicella Zoster Virus (VZV) - chickenpox/shingles
  - Two (2) doses of VZV vaccine  
OR
  - Blood test result with detected IgG antibody for VZV  
OR
  - Result with detection of VZV taken from a swab of a chickenpox or shingles rash.
  
- Hepatitis B:
  - Blood test confirming anti-HBs equal to, or greater than 10mIU/mL (or documented evidence of anti-HBc or HBS antigen)  
AND
  - Documented evidence of age-appropriate course of Hepatitis B vaccinations (usually 3 doses, please inform OMU if you are unable to provide this evidence).

NOTE: If you cannot locate evidence of vaccination, please book an appointment with your GP for immunisation and/or blood tests to demonstrate your immunity.

#### Step 5:


Once Steps 1-4 have been completed, please email the document, and attached evidence to your recruitment officer.

#### Exposure Prone Procedures:

Exposure Prone Procedures (EPPs) are invasive procedures where there is potential for direct contact between the skin and sharp objects (surgical instruments, needles, sharp tissues, spicules of bone or teeth etc.) in body cavities or in poorly visualised sites including the mouth. Professions that perform EPPs include but are not limited to the following: surgeons, midwives, obstetricians, trauma physicians and nurses and all medical, dental and midwifery students.

Healthcare workers (HCW) or students who perform EPPs must take reasonable steps to know their Blood Borne Viruses (BBV) status at commencement of their employment and undergo testing for HBV, HCV and HIV at least once every three years as set out in the National Guidelines. Each year, healthcare workers who perform EPPs make a declaration to the Australian Health Practitioner Regulation Agency (AHPRA) at the time of annual registration renewal, stating that they are compliant with the National Guidelines.

## Attachment A: Tuberculosis (TB) Assessment Tool



Have you ever had a positive tuberculin skin test (TST) or interferon gamma release assay/TB QuantiFERON (IGRA) in the